

Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

| <b>TABLE 6A - NEW DIAGNOSIS CODES</b> |   |
|---------------------------------------|---|
| <b>Diagnosis Code</b>                 | <b>Description</b>  |
| C81.0A                                | Nodular lymphocyte predominant Hodgkin lymphoma, in remission           |
| C81.1A                                | Nodular sclerosis Hodgkin lymphoma in remission                         |
| C81.2A                                | Mixed cellularity Hodgkin lymphoma, in remission                        |
| C81.3A                                | Lymphocyte depleted Hodgkin lymphoma, in remission                      |
| C81.4A                                | Lymphocyte-rich Hodgkin lymphoma, in remission                          |
| C81.7A                                | Other Hodgkin lymphoma, in remission                                    |
| C81.9A                                | Hodgkin lymphoma, unspecified, in remission                             |
| C82.0A                                | Follicular lymphoma grade I, in remission                               |
| C82.1A                                | Follicular lymphoma grade II, in remission                              |
| C82.2A                                | Follicular lymphoma grade III, unspecified, in remission                |
| C82.3A                                | Follicular lymphoma grade IIIa, in remission                            |
| C82.4A                                | Follicular lymphoma grade IIIb, in remission                            |
| C82.5A                                | Diffuse follicle center lymphoma, in remission                          |
| C82.6A                                | Cutaneous follicle center lymphoma, in remission                        |
| C82.8A                                | Other types of follicular lymphoma, in remission                        |
| C82.9A                                | Follicular lymphoma, unspecified, in remission                          |
| C83.0A                                | Small cell B-cell lymphoma, in remission                                |
| C83.1A                                | Mantle cell lymphoma, in remission                                      |
| C83.390                               | Primary central nervous system lymphoma                                 |
| C83.398                               | Diffuse large B-cell lymphoma of other extranodal and solid organ sites |
| C83.3A                                | Diffuse large B-cell lymphoma, in remission                             |
| C83.5A                                | Lymphoblastic (diffuse) lymphoma, in remission                          |
| C83.7A                                | Burkitt lymphoma, in remission  |
| C83.8A                                | Other non-follicular lymphoma, in remission                             |
| C83.9A                                | Non-follicular (diffuse) lymphoma, unspecified, in remission            |
| C84.0A                                | Mycosis fungoides, in remission   |
| C84.1A                                | Sezary disease, in remission  |
| C84.4A                                | Peripheral T-cell lymphoma, not elsewhere classified, in remission      |
| C84.6A                                | Anaplastic large cell lymphoma, ALK-positive, in remission              |
| C84.7B                                | Anaplastic large cell lymphoma, ALK-negative, in remission              |
| C84.9A                                | Mature T/NK-cell lymphomas, unspecified, in remission                   |
| C84.AA                                | Cutaneous T-cell lymphoma, unspecified, in remission                    |
| C84.ZA                                | Other mature T/NK-cell lymphomas, in remission                          |
| C85.1A                                | Unspecified B-cell lymphoma, in remission                               |
| C85.2A                                | Mediastinal (thymic) large B-cell lymphoma, in remission                |
| C85.8A                                | Other specified types of non-Hodgkin lymphoma, in remission             |
| C85.9A                                | Non-Hodgkin lymphoma, unspecified, in remission                         |
| C86.00                                | Extranodal NK/T-cell lymphoma, nasal type not having achieved remission |
| C86.01                                | Extranodal NK/T-cell lymphoma, nasal type, in remission                 |

Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

| <b>TABLE 6A - NEW DIAGNOSIS CODES</b> |   |
|---------------------------------------|---|
| <b>Diagnosis Code</b>                 | <b>Description</b>  |
| C86.10                                | Hepatosplenic T-cell lymphoma not having achieved remission   |
| C86.11                                | Hepatosplenic T-cell lymphoma, in remission   |
| C86.20                                | Enteropathy-type (intestinal) T-cell lymphoma not having achieved remission   |
| C86.21                                | Enteropathy-type (intestinal) T-cell lymphoma, in remission   |
| C86.30                                | Subcutaneous panniculitis-like T-cell lymphoma not having achieved remission  |
| C86.31                                | Subcutaneous panniculitis-like T-cell lymphoma, in remission  |
| C86.40                                | Blastic NK-cell lymphoma not having achieved remission  |
| C86.41                                | Blastic NK-cell lymphoma, in remission  |
| C86.50                                | Angioimmunoblastic T-cell lymphoma not having achieved remission  |
| C86.51                                | Angioimmunoblastic T-cell lymphoma, in remission  |
| C86.60                                | Primary cutaneous CD30-positive T-cell proliferations not having achieved remission   |
| C86.61                                | Primary cutaneous CD30-positive T-cell proliferations, in remission   |
| C88.00                                | Waldenstrom macroglobulinemia not having achieved remission   |
| C88.01                                | Waldenstrom macroglobulinemia, in remission   |
| C88.20                                | Heavy chain disease not having achieved remission   |
| C88.21                                | Heavy chain disease, in remission   |
| C88.30                                | Immunoproliferative small intestinal disease not having achieved remission  |
| C88.31                                | Immunoproliferative small intestinal disease, in remission  |
| C88.40                                | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] not having achieved remission |
| C88.41                                | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma], in remission                 |
| C88.80                                | Other malignant immunoproliferative diseases not having achieved remission  |
| C88.81                                | Other malignant immunoproliferative diseases, in remission  |
| C88.90                                | Malignant immunoproliferative disease, unspecified not having achieved remission  |
| C88.91                                | Malignant immunoproliferative disease, unspecified, in remission  |
| D61.03                                | Fanconi anemia  |
| E10.A0                                | Type 1 diabetes mellitus, presymptomatic, unspecified   |
| E10.A1                                | Type 1 diabetes mellitus, presymptomatic, Stage 1   |
| E10.A2                                | Type 1 diabetes mellitus, presymptomatic, Stage 2   |
| E16.A1                                | Hypoglycemia level 1  |
| E16.A2                                | Hypoglycemia level 2  |
| E16.A3                                | Hypoglycemia level 3  |
| E34.00                                | Carcinoid syndrome, unspecified   |
| E34.01                                | Carcinoid heart syndrome  |
| E34.09                                | Other carcinoid syndrome  |
| E66.811                               | Obesity, class 1  |
| E66.812                               | Obesity, class 2  |

Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

| <b>TABLE 6A - NEW DIAGNOSIS CODES</b> |   |
|---------------------------------------|---|
| <b>Diagnosis Code</b>                 | <b>Description</b>  |
| E66.813                               | Obesity, class 3  |
| E66.89                                | Other obesity not elsewhere classified                              |
| E74.820                               | SLC13A5 Citrate Transporter Disorder                                |
| E74.829                               | Other disorders of citrate metabolism                               |
| E88.82                                | Obesity due to disruption of MC4R pathway                           |
| F50.010                               | Anorexia nervosa, restricting type, mild                            |
| F50.011                               | Anorexia nervosa, restricting type, moderate                        |
| F50.012                               | Anorexia nervosa, restricting type, severe                          |
| F50.013                               | Anorexia nervosa, restricting type, extreme                         |
| F50.014                               | Anorexia nervosa, restricting type, in remission                    |
| F50.019                               | Anorexia nervosa, restricting type, unspecified                     |
| F50.020                               | Anorexia nervosa, binge eating/purging type, mild                   |
| F50.021                               | Anorexia nervosa, binge eating/purging type, moderate               |
| F50.022                               | Anorexia nervosa, binge eating/purging type, severe                 |
| F50.023                               | Anorexia nervosa, binge eating/purging type, extreme                |
| F50.024                               | Anorexia nervosa, binge eating/purging type, in remission           |
| F50.029                               | Anorexia nervosa, binge eating/purging type, unspecified            |
| F50.20                                | Bulimia nervosa, unspecified  |
| F50.21                                | Bulimia nervosa, mild   |
| F50.22                                | Bulimia nervosa, moderate   |
| F50.23                                | Bulimia nervosa, severe   |
| F50.24                                | Bulimia nervosa, extreme  |
| F50.25                                | Bulimia nervosa, in remission                                       |
| F50.810                               | Binge eating disorder, mild   |
| F50.811                               | Binge eating disorder, moderate                                     |
| F50.812                               | Binge eating disorder, severe                                       |
| F50.813                               | Binge eating disorder, extreme                                      |
| F50.814                               | Binge eating disorder, in remission                                 |
| F50.819                               | Binge eating disorder, unspecified                                  |
| F50.83                                | Pica in adults  |
| F50.84                                | Rumination disorder in adults                                       |
| G40.841                               | KCNQ2-related epilepsy, not intractable, with status epilepticus    |
| G40.842                               | KCNQ2-related epilepsy, not intractable, without status epilepticus |
| G40.843                               | KCNQ2-related epilepsy, intractable, with status epilepticus        |
| G40.844                               | KCNQ2-related epilepsy, intractable, without status epilepticus     |
| G90.81                                | Serotonin syndrome  |
| G90.89                                | Other disorders of autonomic nervous system                         |
| G93.45                                | Developmental and epileptic encephalopathy                          |
| I26.03                                | Cement embolism of pulmonary artery with acute cor pulmonale        |

Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

| <b>TABLE 6A - NEW DIAGNOSIS CODES</b> |   |
|---------------------------------------|---|
| <b>Diagnosis Code</b>                 | <b>Description</b>  |
| I26.04                                | Fat embolism of pulmonary artery with acute cor pulmonale       |
| I26.95                                | Cement embolism of pulmonary artery without acute cor pulmonale |
| I26.96                                | Fat embolism of pulmonary artery without acute cor pulmonale    |
| J34.8200                              | Internal nasal valve collapse, unspecified                      |
| J34.8201                              | Internal nasal valve collapse, static                           |
| J34.8202                              | Internal nasal valve collapse, dynamic                          |
| J34.8210                              | External nasal valve collapse, unspecified                      |
| J34.8211                              | External nasal valve collapse, static                           |
| J34.8212                              | External nasal valve collapse, dynamic                          |
| J34.829                               | Nasal valve collapse, unspecified                               |
| K60.30                                | Anal fistula, unspecified                                       |
| K60.311                               | Anal fistula, simple, initial                                   |
| K60.312                               | Anal fistula, simple, persistent                                |
| K60.313                               | Anal fistula, simple, recurrent                                 |
| K60.319                               | Anal fistula, simple, unspecified                               |
| K60.321                               | Anal fistula, complex, initial                                  |
| K60.322                               | Anal fistula, complex, persistent                               |
| K60.323                               | Anal fistula, complex, recurrent                                |
| K60.329                               | Anal fistula, complex, unspecified                              |
| K60.40                                | Rectal fistula, unspecified                                     |
| K60.411                               | Rectal fistula, simple, initial                                 |
| K60.412                               | Rectal fistula, simple, persistent                              |
| K60.413                               | Rectal fistula, simple, recurrent                               |
| K60.419                               | Rectal fistula, simple, unspecified                             |
| K60.421                               | Rectal fistula, complex, initial                                |
| K60.422                               | Rectal fistula, complex, persistent                             |
| K60.423                               | Rectal fistula, complex, recurrent                              |
| K60.429                               | Rectal fistula, complex, unspecified                            |
| K60.50                                | Anorectal fistula, unspecified                                  |
| K60.511                               | Anorectal fistula, simple, initial                              |
| K60.512                               | Anorectal fistula, simple, persistent                           |
| K60.513                               | Anorectal fistula, simple, recurrent                            |
| K60.519                               | Anorectal fistula, simple, unspecified                          |
| K60.521                               | Anorectal fistula, complex, initial                             |
| K60.522                               | Anorectal fistula, complex, persistent                          |
| K60.523                               | Anorectal fistula, complex, recurrent                           |
| K60.529                               | Anorectal fistula, complex, unspecified                         |
| L29.81                                | Cholestatic pruritus  |
| L29.89                                | Other pruritus  |

Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

| <b>TABLE 6A - NEW DIAGNOSIS CODES</b> |  |
|---------------------------------------|--|
| <b>Diagnosis Code</b>                 | <b>Description</b>   |
| L66.10                                | Lichen planopilaris, unspecified   |
| L66.11                                | Classic lichen planopilaris  |
| L66.12                                | Frontal fibrosing alopecia   |
| L66.19                                | Other lichen planopilaris  |
| L66.81                                | Central centrifugal cicatricial alopecia   |
| L66.89                                | Other cicatricial alopecia   |
| M51.360                               | Other intervertebral disc degeneration, lumbar region with discogenic back pain only                                   |
| M51.361                               | Other intervertebral disc degeneration, lumbar region with lower extremity pain only                                   |
| M51.362                               | Other intervertebral disc degeneration, lumbar region with discogenic back pain and lower extremity pain               |
| M51.369                               | Other intervertebral disc degeneration, lumbar region without mention of lumbar back pain or lower extremity pain      |
| M51.370                               | Other intervertebral disc degeneration, lumbosacral region with discogenic back pain only                              |
| M51.371                               | Other intervertebral disc degeneration, lumbosacral region with lower extremity pain only                              |
| M51.372                               | Other intervertebral disc degeneration, lumbosacral region with discogenic back pain and lower extremity pain          |
| M51.379                               | Other intervertebral disc degeneration, lumbosacral region without mention of lumbar back pain or lower extremity pain |
| M62.85                                | Dysfunction of the multifidus muscles, lumbar region   |
| M65.90                                | Unspecified synovitis and tenosynovitis, unspecified site  |
| M65.911                               | Unspecified synovitis and tenosynovitis, right shoulder  |
| M65.912                               | Unspecified synovitis and tenosynovitis, left shoulder   |
| M65.919                               | Unspecified synovitis and tenosynovitis, unspecified shoulder  |
| M65.921                               | Unspecified synovitis and tenosynovitis, right upper arm   |
| M65.922                               | Unspecified synovitis and tenosynovitis, left upper arm  |
| M65.929                               | Unspecified synovitis and tenosynovitis, unspecified upper arm   |
| M65.931                               | Unspecified synovitis and tenosynovitis, right forearm   |
| M65.932                               | Unspecified synovitis and tenosynovitis, left forearm  |
| M65.939                               | Unspecified synovitis and tenosynovitis, unspecified forearm   |
| M65.941                               | Unspecified synovitis and tenosynovitis, right hand  |
| M65.942                               | Unspecified synovitis and tenosynovitis, left hand   |
| M65.949                               | Unspecified synovitis and tenosynovitis, unspecified hand  |
| M65.951                               | Unspecified synovitis and tenosynovitis, right thigh   |
| M65.952                               | Unspecified synovitis and tenosynovitis, left thigh  |
| M65.959                               | Unspecified synovitis and tenosynovitis, unspecified thigh   |
| M65.961                               | Unspecified synovitis and tenosynovitis, right lower leg   |

Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

| <b>TABLE 6A - NEW DIAGNOSIS CODES</b> |   |
|---------------------------------------|---|
| <b>Diagnosis Code</b>                 | <b>Description</b>  |
| M65.962                               | Unspecified synovitis and tenosynovitis, left lower leg   |
| M65.969                               | Unspecified synovitis and tenosynovitis, unspecified lower leg  |
| M65.971                               | Unspecified synovitis and tenosynovitis, right ankle and foot   |
| M65.972                               | Unspecified synovitis and tenosynovitis, left ankle and foot  |
| M65.979                               | Unspecified synovitis and tenosynovitis, unspecified ankle and foot   |
| M65.98                                | Unspecified synovitis and tenosynovitis, other site   |
| M65.99                                | Unspecified synovitis and tenosynovitis, multiple sites   |
| Q23.81                                | Bicuspid aortic valve   |
| Q23.82                                | Congenital mitral valve cleft leaflet   |
| Q23.88                                | Other congenital malformations of aortic and mitral valves  |
| Q87.86                                | Kleefstra syndrome  |
| R41.85                                | Anosognosia   |
| T45.AX1A                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, accidental (unintentional), initial encounter    |
| T45.AX1D                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, accidental (unintentional), subsequent encounter |
| T45.AX1S                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, accidental (unintentional), sequela              |
| T45.AX2A                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, intentional self-harm, initial encounter         |
| T45.AX2D                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, intentional self-harm, subsequent encounter      |
| T45.AX2S                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, intentional self-harm, sequela                   |
| T45.AX3A                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, assault, initial encounter                       |
| T45.AX3D                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, assault, subsequent encounter                    |
| T45.AX3S                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, assault, sequela                                 |
| T45.AX4A                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, undetermined, initial encounter                  |
| T45.AX4D                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, undetermined, subsequent encounter               |
| T45.AX4S                              | Poisoning by immune checkpoint inhibitors and immunostimulant drugs, undetermined, sequela                            |
| T45.AX5A                              | Adverse effect of immune checkpoint inhibitors and immunostimulant drugs, initial encounter                           |



Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

| <b>TABLE 6A - NEW DIAGNOSIS CODES</b> |   |
|---------------------------------------|---|
| <b>Diagnosis Code</b>                 | <b>Description</b>  |
| T45.AX5D                              | Adverse effect of immune checkpoint inhibitors and immunostimulant drugs, subsequent encounter                                      |
| T45.AX5S                              | Adverse effect of immune checkpoint inhibitors and immunostimulant drugs, sequela   |
| T45.AX6A                              | Underdosing of immune checkpoint inhibitors and immunostimulant drugs, initial encounter  |
| T45.AX6D                              | Underdosing of immune checkpoint inhibitors and immunostimulant drugs, subsequent encounter   |
| T45.AX6S                              | Underdosing of immune checkpoint inhibitors and immunostimulant drugs, sequela  |
| T81.320A                              | Disruption or dehiscence of gastrointestinal tract anastomosis, repair, or closure, initial encounter                               |
| T81.320D                              | Disruption or dehiscence of gastrointestinal tract anastomosis, repair, or closure, subsequent encounter                            |
| T81.320S                              | Disruption or dehiscence of gastrointestinal tract anastomosis, repair, or closure, sequela   |
| T81.321A                              | Disruption or dehiscence of closure of internal operation (surgical) wound of abdominal wall muscle or fascia, initial encounter    |
| T81.321D                              | Disruption or dehiscence of closure of internal operation (surgical) wound of abdominal wall muscle or fascia, subsequent encounter |
| T81.321S                              | Disruption or dehiscence of closure of internal operation (surgical) wound of abdominal wall muscle or fascia, sequela              |
| T81.328A                              | Disruption or dehiscence of closure of other specified internal operation (surgical) wound, initial encounter                       |
| T81.328D                              | Disruption or dehiscence of closure of other specified internal operation (surgical) wound, subsequent encounter                    |
| T81.328S                              | Disruption or dehiscence of closure of other specified internal operation (surgical) wound, sequela                                 |
| T81.329A                              | Deep disruption or dehiscence of operation wound, unspecified, initial encounter  |
| T81.329D                              | Deep disruption or dehiscence of operation wound, unspecified, subsequent encounter   |
| T81.329S                              | Deep disruption or dehiscence of operation wound, unspecified, sequela  |
| Z15.1                                 | Genetic susceptibility to epilepsy and neurodevelopmental disorders   |
| Z15.2                                 | Genetic susceptibility to obesity   |
| Z17.21                                | Progesterone receptor positive status   |
| Z17.22                                | Progesterone receptor negative status   |
| Z17.31                                | Human epidermal growth factor receptor 2 positive status  |
| Z17.32                                | Human epidermal growth factor receptor 2 negative status  |
| Z17.410                               | Hormone receptor positive with human epidermal growth factor receptor 2 positive status   |

Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

| <b>TABLE 6A - NEW DIAGNOSIS CODES</b> |   |
|---------------------------------------|---|
| <b>Diagnosis Code</b>                 | <b>Description</b>  |
| Z17.411                               | Hormone receptor positive with human epidermal growth factor receptor 2 negative status                               |
| Z17.420                               | Hormone receptor negative with human epidermal growth factor receptor 2 positive status                               |
| Z17.421                               | Hormone receptor negative with human epidermal growth factor receptor 2 negative status                               |
| Z51.A                                 | Encounter for sepsis aftercare  |
| Z59.71                                | Insufficient health insurance coverage  |
| Z59.72                                | Insufficient welfare support  |
| Z67.A1                                | Duffy null  |
| Z67.A2                                | Duffy a positive  |
| Z67.A3                                | Duffy b positive  |
| Z67.A4                                | Duffy a and b positive  |
| Z68.55                                | Body mass index [BMI] pediatric, 120% of the 95th percentile for age to less than 140% of the 95th percentile for age |
| Z68.56                                | Body mass index [BMI] pediatric, greater than or equal to 140% of the 95th percentile for age                         |
| Z83.72                                | Family history of familial adenomatous polyposis  |
| Z86.0100                              | Personal history of colon polyps, unspecified   |
| Z86.0101                              | Personal history of adenomatous and serrated colon polyps   |
| Z86.0102                              | Personal history of hyperplastic colon polyps   |
| Z86.0109                              | Personal history of other colon polyps  |
| Z92.26                                | Personal history of immune checkpoint inhibitor therapy   |



Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

**TABLE 6C - INVALID DIAGNOSIS CODES**

| Diagnosis Code | Description   |
|----------------|---|
| C83.39         | Diffuse large B-cell lymphoma, extranodal and solid organ sites                                   |
| C86.0          | Extranodal NK/T-cell lymphoma, nasal type   |
| C86.1          | Hepatosplenic T-cell lymphoma   |
| C86.2          | Enteropathy-type (intestinal) T-cell lymphoma   |
| C86.3          | Subcutaneous panniculitis-like T-cell lymphoma  |
| C86.4          | Blastic NK-cell lymphoma  |
| C86.5          | Angioimmunoblastic T-cell lymphoma  |
| C86.6          | Primary cutaneous CD30-positive T-cell proliferations   |
| C88.0          | Waldenstrom macroglobulinemia   |
| C88.2          | Heavy chain disease   |
| C88.3          | Immunoproliferative small intestinal disease  |
| C88.4          | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]     |
| C88.8          | Other malignant immunoproliferative diseases  |
| C88.9          | Malignant immunoproliferative disease, unspecified  |
| E34.0          | Carcinoid syndrome  |
| E66.8          | Other obesity   |
| F50.01         | Anorexia nervosa, restricting type  |
| F50.02         | Anorexia nervosa, binge eating/purging type   |
| F50.2          | Bulimia nervosa   |
| F50.81         | Binge eating disorder   |
| G90.8          | Other disorders of autonomic nervous system   |
| K60.3          | Anal fistula  |
| K60.4          | Rectal fistula  |
| K60.5          | Anorectal fistula   |
| L29.8          | Other pruritus  |
| L66.1          | Lichen planopilaris   |
| L66.8          | Other cicatricial alopecia  |
| M51.36         | Other intervertebral disc degeneration, lumbar region   |
| M51.37         | Other intervertebral disc degeneration, lumbosacral region  |
| M65.9          | Synovitis and tenosynovitis, unspecified  |
| Q23.8          | Other congenital malformations of aortic and mitral valves  |
| T81.32XA       | Disruption of internal operation (surgical) wound, not elsewhere classified, initial encounter    |
| T81.32XD       | Disruption of internal operation (surgical) wound, not elsewhere classified, subsequent encounter |
| T81.32XS       | Disruption of internal operation (surgical) wound, not elsewhere classified, sequela              |
| Z59.7          | Insufficient social insurance and welfare support   |
| Z86.010        | Personal history of colonic polyps  |

Table 6A - **New** Diagnosis Codes - 252 New Codes

Table 6C - **Invalid** Diagnosis Codes - 36 Invalidated Codes

Table 6E - **Revised** Diagnosis Code Titles - 13 Revised Codes

| TABLE 6E - REVISED DIAGNOSIS CODE TITLES |   |
|--|---|
| Diagnosis Code                           | Description   |
| A77.41                                   | Ehrlichiosis chaffeensis [E. chaffeensis]   |
| F98.21                                   | Rumination disorder of infancy and childhood  |
| G93.42                                   | Megalencephalic leukoencephalopathy with subcortical cysts  |
| H44.2A3                                  | Degenerative myopia with choroidal neovascularization, bilateral  |
| H44.2B3                                  | Degenerative myopia with macular hole, bilateral  |
| H44.2C3                                  | Degenerative myopia with retinal detachment, bilateral  |
| H44.2D3                                  | Degenerative myopia with foveoschisis, bilateral  |
| H44.2E3                                  | Degenerative myopia with other maculopathy, bilateral   |
| I26.93                                   | Single subsegmental thrombotic pulmonary embolism without acute cor pulmonale                             |
| I26.94                                   | Multiple subsegmental thrombotic pulmonary emboli without acute cor pulmonale                             |
| K58.9                                    | Irritable bowel syndrome, unspecified   |
| Q13.81                                   | Rieger anomaly  |
| Z68.54                                   | Body mass index [BMI] pediatric, 95th percentile for age to less than 120% of the 95th percentile for age |

The [NCHS](https://www.cms.gov/medicare/coding-billing/icd-10-codes) is the first to post the updated ICD-10-CM Official Guidelines for Coding and Reporting. Followed by [C](https://www.cms.gov/medicare/coding-billing/icd-10-codes) [MS](https://www.cms.gov/medicare/coding-billing/icd-10-codes).